

# Loewe bild i dr+

Screen diagonal (in cm/inch): 164/65 , 139/55 , 121/48  
 Resolution (in pixels): Ultra HD (3840 x 2160)  
 EU energy efficiency class SDR / HDR: F/F , G/G , G/G

Power consumption in on mode max. in watts: 425 / 325 / 235  
 Stand-by Power consumption: 0,3  
 Energy consumption SDR kWh/1000h: 103 , 87 , 67

## TV

### Loewe bild i dr+ set

Scope of delivery includes a.o.  
 bild i dr+, klang bar i and table stand i  
 bild i.65 dr+ set: W\* 146,0 / H 88,3 / PD 6,4 / TD 29,0  
 bild i.55 dr+ set: W\* 123,6 / H 75,9 / PD 6,4 / TD 29,0  
 bild i.48 dr+ set: W\* 107,7 / H 66,9 / PD 6,4 / TD 29,0  
 manually rotatable (+ / - 20°), concealed cable routing



	Model	Article no.	EAN Code
■ Basalt grey	65 dr+ set	60435D10 + 59212D00	4011880171144 + 4011880170154
	55 dr+ set	60433D10 + 59212D00	4011880171120 + 4011880170154
	48 dr+ set	60431D10 + 59212D00	4011880171106 + 4011880170154
	65 dr+	60435D10	4011880171144
	55 dr+	60433D10	4011880171120
	48 dr+	60431D10	4011880171106
■ Basalt grey	floor2ceiling stand	60802D00	4011880171076
	floor stand flex	60800D00	4011880171212
■ Black	wall mount slim 432	60808W00	4011880172417
	wall mount universal	60809W00	4011880172806

### Loewe bild i dr+

TV model includes a.o.  
 bild i dr+, invisible sound and table stand i  
 bild i.65 dr+: W\* 146,0 / H 88,3 / PD 6,4 / TD 29,0  
 bild i.55 dr+ set: W\* 123,6 / H 75,9 / PD 6,4 / TD 29,0  
 bild i.48 dr+ set: W\* 107,7 / H 66,9 / TD 6,4 / TD 29,0  
 manually rotatable (+ / - 20°), concealed cable routing



## Soundbar

### Loewe klang bar i

Passive soundbar for installation at Loewe bild i



	Model	Article no.	EAN Code
■ Basalt grey	klang bar i	59212D00	4011880170154

Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.  
 \* In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

# LOEWE.

## Set-up options

Further set-up options are possible. Your dealer will be happy to advise you.

### Set up option ground

#### floor2ceiling stand

bild i.65 dr+ set: W\* x H x PD x TD/FP = 145,7 x 86,8 x 6,4 x 18,0  
bild i.55 dr+ set: W\* x H x PD x TD/FP = 123,6 x 74,4 x 6,4 x 17,5  
bild i.48 dr+ set: W\* x H x PD x TD/FP = 107,7 x 65,4 x 6,4 x 17,1  
bild i.65 dr+: W\* x H x PD x TD/FP = 145,7 x 85,8 x 6,4 x 18,0  
bild i.55 dr+: W\* x H x PD x TD/FP = 123,6 x 73,4 x 6,4 x 17,5  
bild i.48 dr+: W\* x H x PD x TD/FP = 107,7 x 64,4 x 6,4 x 17,1  
manually rotatable (+/- 110°), concealed cable routing,  
height adjustable (220-290 cm)

#### floor stand flex

bild i.65 dr+ set: W\* x H x PD x TD/FP = 145,7 x 128,9 x 6,4 x 54,0  
bild i.55 dr+ set: W\* x H x PD x TD/FP = 123,6 x 116,5 x 6,4 x 54,0  
bild i.48 dr+ set: W\* x H x PD x TD/FP = 120,8 x 107,5 x 6,4 x 54,0  
bild i.65 dr+: W\* x H x PD x TD/FP | 145,7 x 128,9 x 6,4 x 54,0  
bild i.55 dr+: W\* x H x PD x TD/FP | 123,6 x 116,5 x 6,4 x 54,0  
bild i.48 dr+: W\* x H x PD x TD/FP | 120,8 x 107,5 x 6,4 x 54,0  
manually rotatable (+/- 45°), concealed cable routing,  
with or without carrier for accessory tray or soundbar

### Set up option wall

#### wall mount slim 432

bild i.65 dr+ set: W\* x H x PD x TD | 146,0 x 86,8 x 6,4 x 8,4  
bild i.55 dr+ set: W\* x H x PD x TD | 123,6 x 74,4 x 6,4 x 8,4  
bild i.48 dr+ set: W\* x H x PD x TD | 107,7 x 65,4 x 6,4 x 8,5  
bild i.65 dr+: W\* x H x PD x TD | 146,0 x 85,8 x 6,4 x 8,4  
bild i.55 dr+: W\* x H x PD x TD | 123,6 x 73,4 x 6,4 x 8,4  
bild i.48 dr+: W\* x H x PD x TD | 107,7 x 64,4 x 6,4 x 8,5

#### flat mounting

#### wall mount universal

bild i.65 dr+ set: W\* x H x PD x TD/FP | 145,7 x 86,8 x 6,4 x 10,1  
bild i.55 dr+ set: W\* x H x PD x TD/FP | 123,6 x 74,4 x 6,4 x 10,1  
bild i.48 dr+ set: W\* x H x PD x TD/FP | 107,7 x 65,4 x 6,4 x 10,2  
bild i.65 dr+: W\* x H x PD x TD/FP | 145,7 x 85,8 x 6,4 x 10,1  
bild i.55 dr+: W\* x H x PD x TD/FP | 123,6 x 73,4 x 6,4 x 10,1  
bild i.48 dr+: W\* x H x PD x TD/FP | 107,7 x 64,4 x 6,4 x 10,2  
tiltable mounting



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.  
\* In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

## Technical Information

bild i dr+ set (included klang bar i)

65

55

48

Image	65	55	48
Resolution (in pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB Pixel)	OLED (WRGB Pixel)	OLED (WRGB Pixel)
Screen diagonal (in cm/inch) / Response time (in ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Peak luminance (in cd/m <sup>2</sup> ) / Viewing angle (h/v)	800 / 120°	800 / 120°	800 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	● / — / ● / ●	● / ● / — / ●	● / ● / — / ●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Video auto-dimming (VBD+) / Interior auto-dimming (OPC)	— / ●	— / ●	— / ●
<b>Reception</b>			
DVB-T2/C/S2 HD <sup>1</sup> / Multi ATV / Unicable / Dual Channel	● / ● / ● / —	● / ● / ● / —	● / ● / ● / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
DVB radio	●	●	●
<b>Audio</b>			
Output in watts (sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8
Acoustic speaker concept	klang bar i	klang bar i	klang bar i
Magic moment / front firing / down firing	— / ● / —	— / ● / —	— / ● / —
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Automatic Volume Control (AVC) / Mimi Defined™	● / —	● / —	● / —
Individual bass and treble control / Loudness	7-Band EQ / —	7-Band EQ / —	7-Band EQ / —
Audio out control: variable / fixed / Subwoofer	— / ● / ●	— / ● / ●	— / ● / ●
<b>Operation</b>			
Loewe os / Home Screen (incl. favorites)	os7 / ●	os7 / ●	os7 / ●
Loewe app / Vivid app / my Loewe app (all: Android + iOS)	— / ● / ●	— / ● / ●	— / ● / ●
Voice control by Alexa skills / Vidaa voice	● / ●	● / ●	● / ●
Electronic Program Guide (SI-data) / EPG key word search	● / —	● / —	● / —
Mediatext (HbbTV) / Teletext / page memory	● / ● / 792	● / ● / 792	● / ● / 792
Menu languages / Context related help	● <sup>2</sup> / ●	● <sup>2</sup> / ●	● <sup>2</sup> / ●
Parental Lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●
Instant Channel Zapping / Quick Start Mode	— / ●	— / ●	— / ●
Number of stations in channel list incl. AV and radio	10.000	10.000	10.000
PIP (AV) / Full PIP / Splitscreen TV/Videotext	— / — / ●	— / — / ●	— / — / ●
Software update (via USB / Internet)	● / ●	● / ●	● / ●
Hotel Mode (Standard / CEC / IP / RS232)	● / — / — / —	● / — / — / —	● / — / — / —
<b>Multimedia</b>			
Loewe dr+: storage capacity in GB / USB recording / timeshift	1.000 / ● / ●	1.000 / ● / ●	1.000 / ● / ●
Photo player / Music player / Video player <sup>3</sup>	● / ● / ●	● / ● / ●	● / ● / ●
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	● / ●	● / ●	● / ●
Internet apps / Internet browser / Internet radio	● / ● / —	● / ● / —	● / ● / —
YouTube / Amazon prime video / Netflix	● / ● / ●	● / ● / ●	● / ● / ●
<b>Connectivity and Interfaces</b>			
HDMI 2.0b / HDMI 2.1 <sup>4</sup>	4 x HDMI 2.1 <sup>5</sup>	4 x HDMI 2.1 <sup>5</sup>	4 x HDMI 2.1 <sup>5</sup>
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
USB / Bluetooth / Screen Mirroring (Miracast)	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●
LAN network connection / WLAN (Wi-Fi) integrated	● / ●	● / ●	● / ●
Common Interface / CI Plus (CI+) 1.4 ECP certified <sup>5</sup>	1	1	1
Digital audio: optical TOSLINK / Mini TOSLINK / ARC / eARC	— / ● / ● / ●	— / ● / ● / ●	— / ● / ● / ●
Analogue audio out variable / fix (jack 3.5 mm)	— / ●	— / ●	— / ●
Center speaker in (via adapter cable) / Cube connector stereo	— / ●	— / ●	— / ●
Kensington anti theft lock	●	●	●
<b>Energy</b>			
EPREL registration No.	1133684	11333750	1133779
Power switch / Mains voltages	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz
Ambient Brightness Control	●	●	●
WoLAN / WoWLAN / Fast Power-On (with increased consumption)	● / ● / ●	● / ● / ●	● / ● / ●
<b>Dimensions</b>			
Weight (approx.) in kg without setup solution	31,1	24,7	17,4
Weight (approx.) in kg incl. standard setup solution	37,1	30,7	23,4
W* x H x D (approx.) in cm without setup solution (* incl. signature flag)	146,0 x 86,8 x 6,4	123,6 x 74,4 x 6,4	107,7 x 65,4 x 6,4
W* x H x D (approx.) in cm incl. wall mount slim (* incl. signature flag)	146,0 x 86,8 x 8,4	123,6 x 74,4 x 8,4	107,7 x 65,4 x 8,5
W* x H x D (approx.) in cm incl. table stand (* incl. signature flag)	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
VESA support	300 x 200	300 x 200	300 x 200
<b>Scope of Delivery</b>			
Speaker	klang bar i (separated)	klang bar i (separated)	klang bar i (separated)
Setup Solution	table stand i	table stand i	table stand i
Remote control incl. batteries	Loewe remote	Loewe remote	Loewe remote
Manual / power cord	● / ● (2,5 m)	● / ● (2,5 m)	● / ● (2,5 m)
<b>Optional accessories</b>			
Selection of recommended setup solutions	floor2ceiling stand, floor stand flex, wall mount slim 432, wall mount universal		

● = included/installed — = not included / possible

<sup>1</sup> Reception of DVB-T2 HD is available in selected countries. Reception of digital channels may be limited by individual regulations from the respective broadcaster/provider. UK models are Freeview HD compliant.  
<sup>2</sup> BA - CZ - ME - DK - DE - EE - EN - ES - FR - HR - IS - IT - LV - LT - HU - NL - NO - PL - PO - RO - AL - SK - SI - RS - FI - SE - GR - BY - BG - KZ - MK - RU - UA - UZ - TR - SA

<sup>3</sup> Via home network and USB.

<sup>4</sup> Features e.g.: enhanced ARC, ALLM, VRR 48-60Hz, 4K@60Hz, 18 Gb/s

<sup>5</sup> CI Plus (CI+) is backwards compatible with CI. Functionality is dependent on module availability from the supplier.

All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.

## Technical Information

bild i dr+

65

55

48

Image	65	55	48
Resolution (in pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB Pixel)	OLED (WRGB Pixel)	OLED (WRGB Pixel)
Screen diagonal (in cm/inch) / Response time (in ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Peak luminance (in cd/m <sup>2</sup> ) / Viewing angle (h/v)	800 / 120°	800 / 120°	800 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	● / — / ● / ●	● / ● / — / ●	● / ● / — / ●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Video auto-dimming (VBD+) / Interior auto-dimming (OPC)	— / ●	— / ●	— / ●
<b>Reception</b>			
DVB-T2/C/S2 HD <sup>1</sup> / Multi ATV / Unicable / Dual Channel	● / ● / ● / —	● / ● / ● / —	● / ● / ● / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
DVB radio	●	●	●
<b>Audio</b>			
Output in watts (sine / music) / driver (active + passive)	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2
Acoustic speaker concept	Speaker box - bass reflex	Speaker box - bass reflex	Speaker box - bass reflex
Magic moment / front firing / down firing	— / — / ● (invisible sound)	— / — / ● (invisible sound)	— / — / ● (invisible sound)
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Automatic Volume Control (AVC) / Mimi Defined™	● / —	● / —	● / —
Individual bass and treble control / Loudness	7-Band EQ / —	7-Band EQ / —	7-Band EQ / —
Audio out control: variable / fixed / Subwoofer	— / ● / ●	— / ● / ●	— / ● / ●
<b>Operation</b>			
Loewe os / Home Screen (incl. favorites)	os7 / ●	os7 / ●	os7 / ●
Loewe app / Vivid app / my Loewe app (all: Android + iOS)	— / ● / ●	— / ● / ●	— / ● / ●
Voice control by Alexa skills / Vidaa voice	● / ●	● / ●	● / ●
Electronic Program Guide (SI-data) / EPG key word search	● / —	● / —	● / —
Mediatext (HbbTV) / Teletext / page memory	● / ● / 792	● / ● / 792	● / ● / 792
Menu languages / Context related help	● <sup>2</sup> / ●	● <sup>2</sup> / ●	● <sup>2</sup> / ●
Parental Lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●
Instant Channel Zapping / Quick Start Mode	— / ●	— / ●	— / ●
Number of stations in channel list incl. AV and radio	10.000	10.000	10.000
PIP (AV) / Full PIP / Splitscreen TV/Videotext	— / — / ●	— / — / ●	— / — / ●
Software update (via USB / Internet)	● / ●	● / ●	● / ●
Hotel Mode (Standard / CEC / IP / RS232)	● / — / — / —	● / — / — / —	● / — / — / —
<b>Multimedia</b>			
Loewe dr+: storage capacity in GB / USB recording / timeshift	1.000 / ● / ●	1.000 / ● / ●	1.000 / ● / ●
Photo player / Music player / Video player <sup>3</sup>	● / ● / ●	● / ● / ●	● / ● / ●
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	● / ●	● / ●	● / ●
Internet apps / Internet browser / Internet radio	● / ● / —	● / ● / —	● / ● / —
YouTube / Amazon prime video / Netflix	● / ● / ●	● / ● / ●	● / ● / ●
<b>Connectivity and Interfaces</b>			
HDMI 2.0b / HDMI 2.1 <sup>4</sup>	4 x HDMI 2.1 <sup>5</sup>	4 x HDMI 2.1 <sup>5</sup>	4 x HDMI 2.1 <sup>5</sup>
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
USB / Bluetooth / Screen Mirroring (Miracast)	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●
LAN network connection / WLAN (Wi-Fi) integrated	● / ●	● / ●	● / ●
Common Interface / CI Plus (CI+) 1.4 ECP certified <sup>5</sup>	1	1	1
Digital audio: optical TOSLINK / Mini TOSLINK / ARC / eARC	— / ● / ● / ●	— / ● / ● / ●	— / ● / ● / ●
Analogue audio out variable / fix (jack 3.5 mm)	— / ●	— / ●	— / ●
Center speaker in (via adapter cable) / Cube connector stereo	— / ●	— / ●	— / ●
Kensington anti theft lock	●	●	●
<b>Energy</b>			
EPREL registration No.	524664	591766	592233
Power switch / Mains voltages	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz
Ambient Brightness Control	●	●	●
WoLAN / WoWLAN / Fast Power-On (with increased consumption)	● / ● / ●	● / ● / ●	● / ● / ●
<b>Dimensions</b>			
Weight (approx.) in kg without setup solution	29,2	22,8	15,5
Weight (approx.) in kg incl. standard setup solution	35,2	28,8	21,5
W* x H x D (approx.) in cm without setup solution (* incl. signature flag)	146,0 x 85,8 x 6,4	123,6 x 73,4 x 6,4	107,7 x 61,4 x 6,4
W* x H x D (approx.) in cm incl. wall mount slim (* incl. signature flag)	146,0 x 85,8 x 8,4	123,6 x 73,4 x 8,4	107,7 x 61,4 x 8,5
W* x H x D (approx.) in cm incl. table stand (* incl. signature flag)	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
VESA support	300 x 200	300 x 200	300 x 200
<b>Scope of Delivery</b>			
Speaker	invisible sound (separated)	invisible sound (separated)	invisible sound (separated)
Setup Solution	table stand i	table stand i	table stand i
Remote control incl. batteries	Loewe remote	Loewe remote	Loewe remote
Manual / power cord	● / ● (2,5 m)	● / ● (2,5 m)	● / ● (2,5 m)
<b>Optional accessories</b>			
Selection of recommended setup solutions	floor2ceiling stand, floor stand flex, wall mount slim 432, wall mount universal		

● = included/installed — = not included / possible

<sup>1</sup> Reception of DVB-T2 HD is available in selected countries. Reception of digital channels may be limited by individual regulations from the respective broadcaster/provider. UK models are Freeview HD compliant.  
<sup>2</sup> BA - CZ - ME - DK - DE - EE - EN - ES - FR - HR - IS - IT - LV - LT - HU - NL - NO - PL - PO - RO - AL - SK - SI - RS - FI - SE - GR - BY - BG - KZ - MK - RU - UA - UZ - TR - SA

<sup>3</sup> Via home network and USB.

<sup>4</sup> Features e.g.: enhanced ARC, ALLM, VRR 48-60Hz, 4K@60Hz, 18 Gb/s

<sup>5</sup> CI Plus (CI+) is backwards compatible with CI. Functionality is dependent on module availability from the supplier.

All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.  
 Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.