

(CONFIDENTIAL) 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

A

B

C

D

E

F

G

H

I

J

K

L




A1

' 18.08

Area		JAPAN	NORTH AMERICA	LATIN AMERICA	EUROPE	EUROPE DERIVATIVE 2	GENERAL AREA	CHINA
Model Name		KJ-75X85J	KD-75X85J	KD-75X85J	KD-75X85J	KD-75X89J	KD-75X86J	KD-75X85J
SV No.		SV-39376	SV-39185	SV-39200	SV-39352	SV-39353	SV-39237	SV-39309
DIMENSION	TV only (W x H x D)	167.5 x 96.2 x 7.3 cm	1675 x 962 x 73 mm / 66 x 37 7/8 x 2 7/8 inch	1675 x 962 x 73 mm	Approx. 167.5 x 96.2 x 7.3 cm	Approx. 167.5 x 96.2 x 7.3 cm	Approx. 1675 x 962 x 73 mm	Approx. 1675 x 962 x 73 mm
	TV with Stand (Standard position) (W x H x D)	167.5 x 104.0 x 41.0 cm	1675 x 1040 x 410 mm / 66 x 41 x 16 1/4 inch	1675 x 1040 x 410 mm	Approx. 167.5 x 104.0 x 41.0 cm	Approx. 167.5 x 103.4 x 41.5 cm	Approx. 1675 x 1040 x 410 mm	Approx. 1675 x 1040 x 410 mm
	TV with Stand (Narrow position) (W x H x D)	-	-	-	Approx. 167.5 x 104.0 x 41.0 cm	Approx. 167.5 x 103.4 x 41.5 cm	-	-
	TV with Stand (Soundbar position) (W x H x D)	-	-	-	-	-	-	-
	TV with Floor Stand (W x H x D)	-	-	-	-	-	-	-
	Stand Width (Standard position)	133.0 cm	1330 mm / 52 3/8 inch	1330 mm	Approx. 133.0 cm	Approx. 167.4 cm	Approx. 1330 mm	Approx. 1330 mm
	Stand Width (Narrow position)	-	-	-	Approx. 55.9 cm	Approx. 108.2 cm	-	-
	Stand Width (Soundbar position)	-	-	-	-	-	-	-
	Floor Stand Width	-	-	-	-	-	-	-
WEIGHT	VESA Hole Pitch	30.0 x 30.0 cm	300 x 300 mm / 11 7/8 x 11 7/8 inch	300 x 300 mm	30.0 x 30.0 cm	30.0 x 30.0 cm	300 x 300 mm	300 x 300 mm
	TV Only	32.6 kg	32.6 kg / 71.9 lb	32.6 kg	Approx. 32.6 kg	Approx. 32.6 kg	Approx. 32.6 kg	Approx. 32.6 kg
	TV with Stand (Standard position)	33.8 kg	33.8 kg / 74.5 lb	33.8 kg	Approx. 33.8 kg	Approx. 34.7 kg	Approx. 33.8 kg	Approx. 33.8 kg
	TV with Stand (Narrow position)	-	-	-	Approx. 33.8 kg	Approx. 34.7 kg	-	-
	TV with Stand (Soundbar position)	-	-	-	-	-	-	-
	TV with Floor Stand	-	-	-	-	-	-	-
	Floor Stand weight (Supply)	-	-	-	-	-	-	-
Remarks	W-M't Br. Weight (Supply)	-	-	-	-	-	-	-
					2way	2way, Premium Edge Stand		

WITH STAND

MAIN STAND (STANDARD POSITION)
EXCEPT KD-75X89J (EUROPE DERIVATIVE)







Purchase recycled resins and wire rods only from the business partners that Sony approves as Green Partners.
再生樹脂・電線電纜はグリーンパートナー認定業者からの調達を促すこと。

△x						GENERAL TOLERANCE		DATE OF ISSUE 2020.12.25	
△y								DOCUMENT TYPE PART	
△z								DRAWING (JIS B MO(1)01 0015)	
HISTORY Y COUNT		SUFFIX REF. NO. REF.	RELEASE NO. DATE	REVISION		SIGN.		MATERIAL/COLOR	
LEGAL OWNER								FINISH/COLOR	
Sony Corporation									
RESPONSIBLE DEPARTMENT PANEL AND MECHANICAL DESIGN						ORIGINAL MODEL SV-39352 (J11)		DESCRIPTION 75 (X85J) EXTERIOR VIEW	
PLANNED BY 2020.12.25 J.LIAN - DS3 MECH						CHECKED BY 2020.12.25		TENTATIVE MODEL 75 (X85J) EXTERIOR VIEW	
DRAWN BY 2020.12.25 J.LIAN - DS3 MECH						SCALE 1:10		PART NO.	
						SIZE A1		SUFFIX REV. NO.	
						UNIT mm		SHEET/PAGES 1/6	



WITH STAND

MAIN STAND (NARROW POSITION)
KD-75X85J (EUROPE) only







WITHOUT STAND



For. NORTH AMERICA, GENERAL AREA, CHINA




For. JAPAN, LATIN AMERICA




For. EUROPE


SU-WL450 STANDARD




136.4(137 : SPEC)
(5 1/2 INCH : SPEC)






SU-WL450 SLIM



94.6(95 : SPEC)
(3 3/4 INCH : SPEC)



SU-WL850



SU-WL855 WITH LATERAL SHAFT BRACKET

