





Area	JAPAN	NORTH AMERICA	LATIN AMERICA	EUROPE	GENERAL AREA	CHINA
Model Name	K-65XR70M2	K-65XR70M2	K-65XR70M2	K-65XR75M2	K-65XR70M2	K-65XR70M2
SV No.	SV-44405	SV-44298	SV-44311	SV-44395	SV-44331	SV-44378
TV only (W x H x D)	-	-	-	-	-	-
TV only (W x H x D (D-Max))	144.7 x 82.7 x 5.5 (5.7) cm	1447 x 827 x 55 (57) mm / 57 x 32 5/8 x 2 1/4 (2 1/4) inch	1447 x 827 x 55 (57) mm	Approx. 144.7 x 82.7 x 5.5 (5.7) cm	Approx. 1447 x 827 x 55 (57) mm	Approx. 1447 x 827 x 55 (57) mm
TV only with camera (W x H x D)	-	-	-	-	-	-
TV with Stand (Standard position) (W x H x D)	144.7 x 90.7 x 34.1 cm	1447 x 907 x 341 mm / 57 x 35 3/4 x 13 1/2 inch	1447 x 907 x 341 mm	Approx. 144.7 x 90.7 x 34.1 cm	Approx. 1447 x 907 x 341 mm	Approx. 1447 x 907 x 341 mm
TV with Stand (Sound bar position) (W x H x D)	-	-	-	-	-	-
TV with Stand (Outside) (W x H x D)	-	-	-	-	-	-
TV with Stand (Inside) (W x H x D)	-	-	-	-	-	-
TV with Stand (Outside for Soundbar) (W x H x D)	-	-	-	-	-	-
TV with Stand (Inside for Soundbar) (W x H x D)	-	-	-	-	-	-
TV with Stand (Narrow position) (W x H x D)	-	-	-	-	-	-
Stand Width (Standard position)	34.3 cm	343 mm / 13 5/8 inch	343 mm	Approx. 34.3 cm	Approx. 343 mm	Approx. 343 mm
Stand Width (Sound bar position)	-	-	-	-	-	-
Stand Width (Outside)	-	-	-	-	-	-
Stand Width (Inside)	-	-	-	-	-	-
Stand Width (Narrow position)	-	-	-	-	-	-
Stand Inner Distance	-	-	-	-	-	-
Stand Inner Distance (Inside position)	-	-	-	-	-	-
Stand Inner Distance (Outside position)	-	-	-	-	-	-
Dimension of Stand (W x H x D)	34.3 x 8.0 x 34.1 cm	343 x 80 x 341 mm / 13 5/8 x 3 1/4 x 13 1/2 inch	343 x 80 x 341 mm	Approx. 34.3 x 8.0 x 34.1 cm	Approx. 343 x 80 x 341 mm	Approx. 343 x 80 x 341 mm
Dimension of Stand (Low) (W x H x D)	-	-	-	-	-	-
Dimension of Stand (High) (W x H x D)	-	-	-	-	-	-
VESA Hole Pitch	30.0 x 30.0 cm	300 x 300 mm / 11 7/8 x 11 7/8 inch	300 x 300 mm	30.0 x 30.0 cm	300 x 300 mm	300 x 300 mm
WEIGHT						
TV Only	26.6 kg	26.6 kg / 58.6 lb	26.6 kg	Approx. 26.6 kg	Approx. 26.6 kg	Approx. 26.6 kg
TV with Stand	30.7 kg	30.7 kg / 67.7 lb	30.7 kg	Approx. 30.7 kg	Approx. 30.7 kg	Approx. 30.7 kg
Remarks						


TV with Stand



Purchase recycled resins and wire rods only from the business partners that Sony approves as Green Partners.  
再生樹脂・銅線はグリーンパートナー認定製品から調達すること。


△x				GENERAL TOLERANCE	DATE OF ISSUE
△x 3					DOCUMENT TYPE
			Revise, Correct dimension.	H. Otsuka	ASSEMBLY
△x 7			Revise, Change to integer and add inch. Delete spec notation. Add round bracket!	H. Otsuka	TOLERANCING DRAWING
					(JIS & ISO/IEC JIS)
HISTORY	SUFFIX	RELEASE NO.	REVISION	SIGN.	MATERIAL COLOR
X COUNT	REV. NO.	DATE			FINISH COLOR
LEGAL OWNER	Sony Corporation				
RESPONSIBLE DEPARTMENT	DTC_MD div1 MD dept1		ORIGINAL MODEL	DESCRIPTIONS	
PLANNED BY	DESIGNED BY	APPROVED BY	SCALE	65(XR70M2) EXTERIOR VIEW	
2025.12.26	Hiromu Otsuka		1:6	65(XR70M2) EXTERIOR VIEW	
2025.12.26			PROJ. METHOD	SIZE	UNIT
			A1	mm	PAGE NO.
					SUFFIX
					REV. NO.
					SHEET/PAGES
					1/4

TV only




M6 HOLES FOR WALL MOUNT BRACKET  
\*REFER TO INSTRUCTION MANUAL FOR SCREW LENGTH INFORMATION

M6 HOLES FOR SECURING HARDWARE.  
(BELT, ROPE OR CHAIN)



M5 SCREW HOLES FOR STAND  
Except CE1/UKA/E33






DESCRIPTION 1 65(XR70M2) EXTERIOR VIEW	LEGAL OWNER Sony Corporation	SCALE 1:6
DESCRIPTION 2 65(XR70M2) EXTERIOR VIEW	PART NO.	SHEET/PAGES 2 / 4

SU-WL450

STANDARD

SLIM







SONY STANDARD

DESCRIPTION 1	LEGAL OWNER	SCALE
65(XR70M2) EXTERIOR VIEW	Sony Corporation	1:6
DESCRIPTION 2	PART NO.	SHEET/PAGES
65(XR70M2) EXTERIOR VIEW		3 / 4

SU-WL900

SU-WL905



DESCRIPTION 1	65(XR70M2) EXTERIOR VIEW	LEGAL OWNER	Sony Corporation	SCALE	1:6
DESCRIPTION 2	65(XR70M2) EXTERIOR VIEW	PART NO.		SHEET/PAGES	4 / 4